



DNA-PK

SEQUENCE LISTING

<110> Brookhaven Science Associates
Anderson, Carl W
Connelly, Margery A

<120> DNA-PK Assay

<130> BSA 01-02

<140> US 09/695,437

<141> 2000-10-24

<150> US 08/398,139

<151> 1995-03-03

<150> 08/132,284

<151> 1993-10-06

<160> 64

<170> PatentIn version 3.1

<210> 1

<211> 28

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 1-28

<400> 1

Met Glu Glu Pro Gln Ser Asp Pro Ser Val Glu Pro Pro Leu Ser Gln
1 5 10 15

Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro Glu
20 25

<210> 2

<211> 28

<212> PRT

<213> Musca domestica

<220>

<221> MISC_FEATURE

<223> Mourse p53 residues 4-31

<400> 2

Met Glu Glu Ser Gln Ser Asp Ile Ser Leu Glu Leu Pro Leu Ser Gln
1 5 10 15

RECEIVED

FEB 04 2002

TECH CENTER 1600/2900

Sub
B1

DNA-PK

Glu Thr Phe Ser Gly Leu Trp Lys Leu Leu Pro Pro
20 25

<210> 3
<211> 16
<212> PRT
<213> Musca domestica

<220>
<221> MISC_FEATURE
<223> Mouse p53 residues 4-13

<400> 3

Met Glu Glu Ser Gln Ser Asp Ile Ser Leu Glu Leu Pro Tyr Lys Lys
1 5 10 15

<210> 4
<211> 25
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 1-24

<400> 4

Met Glu Glu Pro Gln Ser Asp Pro Ser Val Glu Pro Pro Leu Ser Gln
1 5 10 15

Glu Thr Phe Ser Asp Leu Trp Lys Lys
20 25

<210> 5
<211> 25
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 1-24; S15A substitution

<400> 5

Met Glu Glu Pro Gln Ser Asp Pro Ser Val Glu Pro Pro Leu Ala Gln
1 5 10 15

RECEIVED
FEB 04 2002
TECH CENTER 1600/2900

DNA-PK

Glu Thr Phe Ser Asp Leu Trp Lys Lys
20 25

<210> 6
<211> 18
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 29-44

<400> 6

Asn Asn Val Leu Ser Pro Leu Pro Ser Gln Ala Met Asp Asp Leu Met
1 5 10 15

Lys Lys

<210> 7
<211> 16
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 160-175

<400> 7

Met Ala Ile Tyr Lys Gln Ser Gln His Met Thr Glu Val Val Arg Arg
1 5 10 15

<210> 8
<211> 15
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 11-24

<400> 8

Glu Pro Pro Leu Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Lys
1 5 10 15

DNA-PK

<210> 9
 <211> 11
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-19

<400> 9

Glu Pro Pro Leu Ser Gln Glu Thr Phe Lys Lys
 1 5 10

<210> 10
 <211> 13
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-21

<400> 10

Glu Pro Pro Leu Ser Gln Glu Thr Phe Ser Asp Lys Lys
 1 5 10

<210> 11
 <211> 15
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-24:T18A and S20A substitutions

<400> 11

Glu Pro Pro Leu Ser Gln Glu Ala Phe Ala Asp Leu Trp Lys Lys
 1 5 10 15

<210> 12
 <211> 15
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-24:T18A and S20A and W23L substitutions

DNA-PK

<400> 12

Glu	Pro	Pro	Leu	Ser	Gln	Glu	Ala	Phe	Ala	Asp	Leu	Leu	Lys	Lys
1				5					10					15

<210> 13

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 11-24:E17K, T18A and S20A substitutions

<400> 13

Glu	Pro	Pro	Leu	Ser	Gln	Lys	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10					15

<210> 14

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 11-24:L14Q, Q16L, T18A and S20A substitutions

<400> 14

Glu	Pro	Pro	Gln	Ser	Leu	Glu	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10					15

<210> 15

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 11-24:L14Q, T18A and S20A substitutions

<400> 15

Glu	Pro	Pro	Gln	Ser	Gln	Glu	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10					15

<210> 16

<211> 15

DNA-PK

<212> PRT
 <213> Homo sapiens
 <220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-24:S15T, T18A and S20A substitutions

<400> 16

Glu	Pro	Pro	Leu	Thr	Gln	Glu	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10				15	

<210> 17
 <211> 15
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> MISC_FEATURE
 <223> Human p53 residues 11-24:L14D, T18A and S20A substitutions

<400> 17

Glu	Pro	Pro	Asp	Ser	Gln	Glu	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10				15	

<210> 18
 <211> 14
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> MISC_FEATURE
 <223> Human p53 residues 12-24:P13E, L14E, T18A and S20A substitutions

<400> 18

Pro	Glu	Glu	Ser	Gln	Glu	Ala	Phe	Ala	Asp	Leu	Trp	Lys	Lys
1				5					10				

<210> 19
 <211> 13
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> MISC_FEATURE
 <223> Human p53 residues 13-24:L13P, S14E, T18A and S20A substitutions

DNA-PK

<400> 19

Pro Glu Ser Gln Glu Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10

<210> 20

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 11-24 with Q16E, E17Q, T18A and S20A substitutions

<400> 20

Glu Pro Pro Leu Ser Glu Gln Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10 15

<210> 21

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> DNA-PK assay negative control peptide

<400> 21

Glu Pro Pro Leu Ala Gln Glu Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10 15

<210> 22

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> DNA-PK assay negative control peptide

<400> 22

Glu Pro Pro Leu Ala Gln Glu Thr Phe Ser Asp Leu Trp Lys Lys
1 5 10 15

<210> 23

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

DNA-PK

<223> DNA-PK assay negative control peptide

<400> 23

Pro Glu Ser Glu Gln Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10

<210> 24

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> DNA-PK assay negative control peptide

<400> 24

Pro Glu Glu Ala Gln Glu Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10

<210> 25

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> DNA-PK assay negative control peptide

<400> 25

Pro Glu Glu Ser Glu Gln Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10

<210> 26

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Example of inappropriate DNA-PK negative control peptide

<400> 26

Pro Glu Glu Ala Gln Glu Thr Phe Ser Asp Leu Trp Lys Lys
1 5 10

<210> 27

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA effector for in vitro DNA-PK assays

DNA-PK

<400> 27
gcgcgcgcgc gcgcgcgcgc gcgc

24

<210> 28
<211> 19
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 92-108

<400> 28

Pro Leu Ser Ser Ser Val Pro Ser Gln Lys Thr Tyr Gln Gly Ser Tyr
1 5 10 15

Gly Lys Lys

<210> 29
<211> 21
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 306-327

<400> 29

Ala Leu Pro Asn Asn Thr Ser Ser Ser Pro Gln Pro Lys Lys Lys Pro
1 5 10 15

Leu Asp Gly Glu Tyr
20

<210> 30
<211> 15
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 371-385

<400> 30

DNA-PK

Ser Lys Lys Gly Gln Ser Thr Ser Arg His Lys Lys Leu Met Phe
1 5 10 15

<210> 31
<211> 14
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 380-393

<400> 31

His Lys Lys Leu Met Phe Lys Thr Glu Gly Pro Asp Ser Asp
1 5 10

<210> 32
<211> 15
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 11-24:Q16E, T18A and S20A substitutions

<400> 32

Glu Pro Pro Leu Ser Glu Glu Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10 15

<210> 33
<211> 15
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<223> Human p53 residues 11-24:Q16N, T18A and S20A substitutions

<400> 33

Glu Pro Pro Leu Ser Asn Glu Ala Phe Ala Asp Leu Trp Lys Lys
1 5 10 15

<210> 34
<211> 15
<212> PRT
<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> Human p53 residues 11-24 with Q16Y, T18A, S20A and W23L substitutions

<400> 34

Glu	Pro	Pro	Leu	Ser	Tyr	Glu	Ala	Phe	Ala	Asp	Leu	Leu	Lys	Lys
1				5					10					15

<210> 35

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Casein kinase I substrate

<400> 35

Asp	Asp	Asp	Glu	Glu	Ser	Ile	Thr	Arg	Arg
1				5					10

<210> 36

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic S6 kinase substrate

<400> 36

Arg	Arg	Leu	Ser	Ser	Leu	Arg	Ala
1				5			

<210> 37

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic casein kinase II substrate

<400> 37

Arg	Arg	Arg	Glu	Glu	Glu	Thr	Glu	Glu	Glu
1				5					10

<210> 38

<211> 4

<212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE

<223> peptide fragement

<400> 38

Ser Asp Leu Trp

1

<210> 39

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic casein kinase II substrate

<400> 39

Arg Arg Arg Asp Asp Asp Ser Asp Asp Asp

1

5

10

<210> 40

<211> 17

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(4)

<223> human hsp90 residues 1-4

<220>

<221> MISC_FEATURE

<222> (5)..(17)

<223> human p53 residues 15-27 with S20E substitution

<400> 40

Met Pro Glu Glu Ser Gln Glu Thr Phe Glu Asp Leu Trp Lys Leu Leu

1

5

10

15

Pro

<210> 41

<211> 4

<212> PRT

DNA-PK

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> human hsp90 residues 1-4

<400> 41

Met Pro Glu Glu

1

<210> 42

<211> 13

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<223> human p53 residues 15 to 27 with S20E substitution

<400> 42

Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro

1

5

10

<210> 43

<211> 11

<212> PRT

<213> herpes simplex virus 1

<220>

<221> MISC_FEATURE

<223> HSV 1 glycoprotein D precursor residues 289-299

<400> 43

Glu Pro Glu Leu Ala Pro Glu Asp Pro Glu Asp

1

5

10

<210> 44

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Consensus cleavage site of human adenovirus endoproteinase

<400> 44

Met Ser Gly Gly

1

DNA-PK

<210> 45
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic phosphorylation site segment

<400> 45

Met Pro Glu Glu Ser Gln Glu Thr Phe Glu Asp Leu Trp Lys Leu Leu
 1 5 10 15

Pro Gly His His
 20

<210> 46
 <211> 53
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Sense strand oligonucleotide encoding DNA-PKphosphorylation segment SEQ ID NO: 45

<400> 46
 tatgcctgag gaaagtcagg agacattcga agatctatgg aaactacttc ctg 53

<210> 47
 <211> 56
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Antisense oligonucleotide for phosphorylation site segment

<400> 47
 gtgaccagga agtagtttcc atagatcttc gaatgtgtcc tgactttcct caggca 56

<210> 48
 <211> 53
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Sense primer sequence

<400> 48
 gctctagaag tcgactttta gaaggagata ccaagatgcc tgaggaaagt cag 53

DNA-PK

<210> 49
 <211> 61
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Antisense primer with HSV epitope sequence

<400> 49
 cgggataccta atcctcaggg tcttccgggg cgagctctgg ctgtgggttg attctttttt 60
 c 61

<210> 50
 <211> 46
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> sense primer for substrate PCR

<400> 50
 catcaccatg gtatgagcgg cggcatggag gagcccagtg accttg 46

<210> 51
 <211> 61
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> antisense primer for substrate PCR

<400> 51
 cgggataccta atcctcgggg tcttccgggg cgagttctgg ctgtgggttg attctttttt 60
 c 61

<210> 52
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic substrate fragment

<400> 52
 Glu Glu Ala Gln Glu Thr Phe Glu
 1 5

<210> 53
 <211> 25
 <212> DNA

DNA-PK

<213> Artificial Sequence
 <220>
 <223> Sense strand for SEQ ID NO: 52
 <400> 53
 tgaggaagcc caggagacat tcgaa 25
 <210> 54
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Antisense strand for SEQ ID NO: 52
 <400> 54
 gatcttcgaa tgtctcctgg gcttcc 26
 <210> 55
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Sense strand for negative control vector
 <400> 55
 tgaggagtct gagcagacat tcgaa 25
 <210> 56
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> complement of SEQ ID NO: 55
 <400> 56
 gatcttcgaa tgtctgctca gactcc 26
 <210> 57
 <211> 36
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> sense strand for multiple cloning site
 <400> 57
 ctagctctag aggcgcgccc gggtagccgc gccgcc 36

DNA-PK

<210> 58
 <211> 36
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> complement of SEQ ID NO: 57 multiple cloning site

<400> 58
 tcgaggcggc cgcggtaccc gggcgcgcct ctagag

36

<210> 59
 <211> 177
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> sequence of Human Oct-1 POU domain with His6 tag, expressed from plasmid pT7HPOU1

<400> 59

Met Ala Ser Met Thr Gly His His His His His His Gly Met Ser Gly
 1 5 10 15

Gly Met Glu Glu Pro Ser Asp Leu Glu Glu Leu Glu Gln Phe Ala Lys
 20 25 30

Thr Phe Lys Gln Arg Arg Ile Lys Leu Gly Phe Thr Gln Gly Asp Val
 35 40 45

Gly Leu Ala Met Gly Lys Leu Tyr Gly Asn Asp Phe Ser Gln Thr Thr
 50 55 60

Ile Ser Arg Phe Glu Ala Leu Asn Leu Ser Phe Lys Asn Met Cys Lys
 65 70 75 80

Leu Lys Phe Leu Leu Glu Lys Trp Leu Asn Asp Ala Glu Asn Leu Ser
 85 90 95

Ser Asp Ser Ser Leu Ser Ser Pro Ser Ala Leu Asn Ser Pro Gly Ile
 100 105 110

Glu Gly Leu Ser Arg Arg Arg Lys Lys Arg Thr Ser Ile Glu Thr Asn
 115 120 125

Ile Arg Val Leu Glu Lys Ser Phe Leu Glu Asn Gln Lys Pro Thr Ser
 130 135 140

DNA-PK

Glu Glu Ile Thr Met Ile Ala Asp Gln Leu Asn Met Glu Lys Glu Val
145 150 155 160

Ile Arg Val Trp Phe Cys Asn Arg Arg Gln Lys Glu Lys Arg Ile Asn
165 170 175

Pro

<210> 60
<211> 5005
<212> DNA
<213> Artificial Sequence

<220>
<223> nucleotide sequence of pT7HPOU1

<400> 60
gatccacagg acgggtgtgg tcgccatgat cgcgtagtcg atagtggctc caagtagcga 60
agcgagcagg actgggcggc ggccaaagcg gtcggacagt gtcgcgagaa cgggtgcgca 120
tagaaattgc atcaacgcat atagcgctag cagcacgcca tagtgactgg cgatgctgtc 180
ggaatggacg atatcccgca agaggcccg cagtaccggc ataaccaagc ctatgcctac 240
agcatccagg gtgacggtgc cgaggatgac gatgagcgca ttgttagatt tcatacacgg 300
tgctgactg cgtttagcaat ttaactgtga taaactaccg cattaagct tatcgatgat 360
aagctgtcaa acatgagaat tcttgaagac gaaagggcct cgtgatacgc ctatTTTTat 420
aggTTaatgt catgataata atggTTTTott agacgtcagg tggcactTTTt cggggaaatg 480
tgcgcggaac ccctatttTgt ttattTTTTct aaatacatTc aaatatgtat ccgctcatga 540
gacaataacc ctgataaatg cttcaataat attgaaaaag gaagagtatg agtattcaac 600
atttcogtgt cgcccttatt ccctTTTTtg cggcattTTtg ccttcctgtt tttgctcacc 660
cagaaacgct ggtgaaagta aaagatgctg aagatcagtt gggTgcacga gtgggttaca 720
tcgaactgga tctcaacagc ggtaagatcc ttgagagttt tcgccccgaa gaacgtTTTTc 780
caatgatgag cactTTTTaaa gttctgctat gtggcgcggt attatcccgT gttgacgccc 840
ggcaagagca actcggtcgc cgcatacact attctcagaa tgacttggtt gagtactcac 900
cagtcacaga aaagcatctt acggatggca tgacagtaag agaattatgc agtgctgcc 960
taaccatgag tgataaacact gcggccaact tacttctgac aacgatcgga ggaccgaagg 1020

DNA-PK

agctaaccgc	ttttttgcac	aacatggggg	atcatgtaac	tcgccttgat	cgttgggaac	1080
cggagctgaa	tgaagccata	ccaaacgacg	agcgtgacac	cacgatgcct	gcagcaatgg	1140
caacaacggt	gcgcaaaacta	ttaactggcg	aactacttac	tctagcttcc	cggcaacaat	1200
taatagactg	gatggaggcg	gataaagttg	caggaccact	tctgcgctcg	gcccttccgg	1260
ctggctgggt	tattgctgat	aaatctggag	ccggtgagcg	tgggtctcgc	ggtatcattg	1320
cagcactggg	gccagatggg	aagccctccc	gtatcgtagt	tatctacacg	acggggagtc	1380
aggcaactat	ggatgaacga	aatagacaga	tcgctgagat	aggtgcctca	ctgattaagc	1440
attggtaact	gtcagaccaa	gtttactcat	atatacttta	gattgattta	aaacttcatt	1500
tttaatttaa	aaggatctag	gtgaagatcc	tttttgataa	tctcatgacc	aaaatccctt	1560
aacgtgagtt	ttcgttccac	tgagcgtcag	accccgtaga	aaagatcaaa	ggatcttctt	1620
gagatccttt	ttttctgcgc	gtaatctgct	gcttgcaaac	aaaaaaacca	ccgctaccag	1680
cggtggtttg	tttgccggat	caagagctac	caactctttt	tccgaaggta	actggcttca	1740
gcagagcgca	gataccaaat	actgtccttc	tagtgtagcc	gtagttaggc	caccacttca	1800
agaactctgt	agcaccgcct	acatacctcg	ctctgctaata	cctgttacca	gtggctgctg	1860
ccagtggcga	taagtcgtgt	cttaccgggt	tggactcaag	acgatagtta	ccggataaag	1920
cgcagcggtc	gggctgaacg	gggggttcgt	gcacacagcc	cagcttgag	cgaacgacct	1980
acaccgaact	gagataccta	cagcgtgagc	attgagaaag	cgccacgctt	cccgaaggga	2040
gaaaggcgga	caggtatccg	gtaagcggca	gggtcggaac	aggagagcgc	acgagggagc	2100
ttccaggggg	aaacgcctgg	tatctttata	gtcctgtcgg	gtttcgccac	ctctgacttg	2160
agcgtcgatt	tttgtgatgc	tcgtcagggg	ggcggagcct	atggaaaaac	gccagcaacg	2220
cggccttttt	acggttcctg	gccttttgct	ggccttttgc	tcacatgttc	tttctgcgt	2280
tatcccctga	ttctgtggat	aaccgtatta	ccgcctttga	gtgagctgat	accgctcgcc	2340
gcagccgaac	gaccgagcgc	agcgagtcag	tgagcgagga	agcgggaagag	cgcctgatgc	2400
ggatattttct	ccttacgcat	ctgtgcggta	tttcacaccg	catatatggg	gcactctcag	2460
tacaatctgc	tctgatgccg	catagttaag	ccagtataca	ctccgctatc	gctacgtgac	2520
tgggtcatgg	ctgcgccccg	acaccgcga	acaccgctg	acgcgccctg	acgggcttgt	2580
ctgctccccg	catccgctta	cagacaagct	gtgaccgtct	ccgggagctg	catgtgtcag	2640
aggttttcac	cgtcatcacc	gaaacgcgcg	aggcagctgc	ggtaaagctc	atcagcgtgg	2700
tcgtgaagcg	attcacagat	gtctgocctgt	tcatccgcgt	ccagctcggt	gagtttctcc	2760

DNA-PK

```

agaagcggtta atgtctggct tctgataaag cgggccatgt taagggcggt tttttcctgt 2820
ttgggtcactg atgcctccgt gtaaggggga tttctgttca tgggggtaat gataccgatg 2880
aaacgagaga ggatgctcac gatacgggtt actgatgatg aacatgcccg gttactggaa 2940
cgttgtgagg gtaaacaact ggcggtatgg atgcggcggg accagagaaa aatcactcag 3000
ggtcaatgcc agcgcttcgt taatacagat gtaggtgttc cacagggtag ccagcagcat 3060
cctgcgatgc agatccggaa cataatggtg cagggcgctg acttccgctt ttccagactt 3120
tacgaaacac ggaaaccgaa gaccattcat gttgttgctc aggtcgcaga cgttttgcag 3180
cagcagtcgc ttcacgttcg ctgcgctatc ggtgattcat tctgctaacc agtaaggcaa 3240
ccccgccagc ctagccgggt cctcaacgac aggagcacga tcatgcgcac ccgtggccag 3300
gacccaacgc tgcccagat gcgcgcgctg cggctgctgg agatggcgga cgcgatggat 3360
atgtttctgcc aagggttggt ttgcgcattc acagttctcc gcaagaattg attggctcca 3420
attcttggag tggatgaatcc gttagcgagg tgccgccggc ttccattcag gtcgaggtgg 3480
cccggctcca tgcaccgcga cgcaacgcgg ggaggcagac aaggtatagg gcggcgcta 3540
caatccatgc caaccgctc catgtgctcg ccgaggcggc ataaatcgcc gtgacgatca 3600
gcggtccagt gatcgaagtt aggttggtaa gagccgcgag cgatccttga agctgtccct 3660
gatggctgctc atctacctgc ctggacagca tggcctgcaa cgcgggcatc ccgatgccgc 3720
cggaagcgag aagaatcata atggggaagg ccatccagcc tcgcgtcgcg aacgccagca 3780
agacgtagcc cagcgcgtcg gccgccatgc cggcgataat ggcctgcttc tcgccgaaac 3840
gttttggtggc gggaccagtg acgaaggctt gagcgagggc gtgcaagatt ccgaataccg 3900
caagcgacag gccgatcatc gtcgcgctcc agcgaaagcg gtcctcgccg aaaatgacct 3960
agagcgctgc cggcacctgt cctacgagtt gcatgataaa gaagacagtc ataagtgcgg 4020
cgacgatagt catgccccgc gccaccgga aggagctgac tgggttgaag gctctcaagg 4080
gcatcggtcg acgctctccc ttatgcgact cctgcattag gaagcagccc agtagtaggt 4140
tgaggccggt gagcaccgcc gccgcaagga atggtgcatg caaggagatg gcgccaaca 4200
gtcccccggc cagggggcct gccaccatac ccacgccgaa acaagcgctc atgagcccga 4260
agtggcgagc ccgatcttcc ccatcggtga tgtcggcgat ataggcgcca gcaaccgcac 4320
ctgtggcgcc ggtgatgccg gccacgatgc gtccggcgta gaggatcgag atctcgatcc 4380
cgcgaaatta atacgactca ctataggag accacaacgg tttccctcta gaaataattt 4440

```

DNA-PK

```

tgtttaactt taagaaggag atatacatat ggcttctatg actggtcacc accaccatca 4500
ccatgggatg agcggcggca tggaggagcc cagtgcacctt gaggagctcg agcagtttgc 4560
caagaccttc aaacaaagac gaatcaaact tggattcaact cagggtgatg ttgggctcgc 4620
tatggggaaa ctatatggaa atgacttcag ccaaactacc atctctcgat ttgaagcctt 4680
gaacctcagc tttaagaaca tgtgcaagtt gaagccactt ttagagaagt ggctaaatga 4740
tgcagagaac ctctcatctg attcgtcctt ctccagccca agtgcctga attctccagg 4800
aattgagggc ttgagcaggc gcaggaagaa acgcaccagc atagagacca acatccgtgt 4860
ggccttagag aagagtttct tggagaatca aaagcctacc tcggaagaga tcactatgat 4920
tgctgatcag ctcaatatgg aaaaagaggt gattcgtgtt tggttctgta accgtcgaca 4980
gaaagaaaaa agaatcaacc catag 5005

```

```

<210> 61
<211> 201
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> POUSUB1 artificial DNA-PK substrate

```

```

<400> 61

```

```

Met Pro Glu Glu Ser Gln Glu Thr Phe Glu Asp Leu Trp Lys Leu Leu
1           5           10           15

```

```

Pro Gly His His His His His His Gly Met Ser Gly Gly Met Glu Glu
          20           25           30

```

```

Pro Ser Asp Leu Glu Glu Leu Glu Gln Phe Ala Lys Thr Phe Lys Gln
          35           40           45

```

```

Arg Arg Ile Lys Leu Gly Phe Thr Gln Gly Asp Val Gly Leu Ala Met
50           55           60

```

```

Gly Lys Leu Tyr Gly Asn Asp Phe Ser Gln Thr Thr Ile Ser Arg Phe
65           70           75           80

```

```

Glu Ala Leu Asn Leu Ser Phe Lys Asn Met Cys Lys Leu Lys Pro Leu
          85           90           95

```

```

Leu Glu Lys Trp Leu Asn Asp Ala Glu Asn Leu Ser Ser Asp Ser Ser
100          105          110

```

DNA-PK

Leu Ser Ser Pro Ser Ala Leu Asn Ser Pro Gly Ile Glu Gly Leu Ser
115 120 125

Arg Arg Arg Lys Lys Arg Thr Ser Ile Glu Thr Asn Ile Arg Val Ala
130 135 140

Leu Glu Lys Ser Phe Leu Glu Asn Gln Lys Pro Thr Ser Glu Glu Ile
145 150 155 160

Thr Met Ile Ala Asp Gln Leu Asn Met Glu Lys Glu Val Ile Arg Val
165 170 175

Trp Phe Cys Asn Arg Arg Gln Lys Glu Lys Arg Ile Asn Pro Gln Pro
180 185 190

Glu Leu Ala Pro Glu Asp Pro Glu Asp
195 200

<210> 62
<211> 5873
<212> DNA
<213> Artificial Sequence

<220>
<223> Plasmid P349SUB1 sequence

<400> 62
cgagctccgt cgacaagctt gcggccgcac tcgagcacca ccaccaccac cactgagatc 60
cggctgctaa caaagcccga aaggaagctg agttggctgc tgccaccgct gagcaataac 120
tagcataacc ccttggggcc tctaaacggg tcttgagggg ttttttgctg aaaggaggaa 180
ctatatccgg attggcgaat gggacgcgcc ctgtagcggc gcattaagcg cggcgggtgt 240
ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgcccg ctcttttcgc 300
tttcttccct tcctttctcg ccacgttcgc cggctttccc cgtcaagctc taaatcgggg 360
gctcccttta gggttccgat ttagtgcttt acggcacctc gacccccaaa aacttgatta 420
gggtgatggt tcacgtagtg ggccatcgcc ctgatagacg gtttttcgcc ctttgacgtt 480
ggagtccacg ttctttaata gtggactctt gttccaaact ggaacaacac tcaaccctat 540
ctcgggtctat tcttttgatt tataagggat tttgccgatt tcggcctatt gggttaaaaaa 600
tgagctgatt taacaaaaat ttaacgcgaa ttttaacaaa atattaacgt ttacaatttc 660

DNA-PK

aggtggcact tttcggggaa atgtgcgcgg aaccctatt tgtttatfff tctaaataca	720
ttcaaataatg tatccgctca tgaattaatt cttagaaaaa ctcacgcagc atcaaataaa	780
actgcaatff attcatatca ggattatcaa taccatattt ttgaaaaagc cgtttctgta	840
atgaaggaga aaactcaccg aggcagttcc ataggatggc aagatcctgg tatcggctcg	900
cgattccgac tcgtccaaca tcaatacaac ctattaattt cccctcgtca aaaataaggt	960
tatcaagtga gaaatcacca tgagtgcga ctgaatccgg tgagaatggc aaaagtttat	1020
gcatttctff ccagacttgt tcaacaggcc agccattacg ctcgtcatca aaatcactcg	1080
catcaaccaa accgttatcc attcgtgatt gcgcctgagc gagacgaaat acgcgatcgc	1140
tgttaaaagg acaattacaa acaggaatcg aatgcaaccg gcgcaggaa actgccagcg	1200
catcaacaat atfftcacct gaatcaggat attcttctaa tacctggaat gctgttttcc	1260
cggggatcgc agtggtgagt aacctgcat catcaggagt acggataaaa tgcttgatgg	1320
tcggaagagg cataaattcc gtcagccagt ttagtctgac catctcatct gtaacatcat	1380
tggcaacgct acctttgcc agtttcagaa acaactctgg cgcacgggc ttcccataca	1440
atcgatagat tgtgcacct gattgccga cattatcgcg agccattta taccatata	1500
aatcagcatc catgttgaa tttaatcgcg gcctagagca agacgtttcc cgttgaatat	1560
ggctcataac accccttgta ttaactgtta tgtaagcaga cagttttatt gttcatgacc	1620
aaaatccctt aacgtgagtt ttcgttccac tgagcgtcag acccgtaga aaagatcaaa	1680
ggatcttctt gagatcctff tttctgcgc gtaatctgct gcttgcaaac aaaaaacca	1740
ccgctaccag cggtggttg tttgcggat caagagctac caactctff tccgaaggta	1800
actggcttca gcagagcgca gataccaaat actgtccttc tagtgtagcc gtagttaggc	1860
caccacttca agaactctgt agcaccgct acatacctcg ctctgctaaf cctgttacca	1920
gtggctgctg ccagtggcga taagtctgt cttaccgggt tggactcaag acgatagtta	1980
ccggataagg cgcagcggtc gggctgaacg gggggttcgt gcacacagcc cagcttgag	2040
cgaacgacct acaccgaact gagataccta cagcgtgagc tatgagaaaag cgcacgctt	2100
cccgaaggga gaaaggcgga caggatatccg gtaagcgga gggtcggaac aggagagcgc	2160
acgagggagc ttccagggg aaacgcctgg tatctttata gtctgtcgg gtttcgccac	2220
ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg ggcggagcct atggaaaaac	2280
gccagcaacg cggcctttff acggttcctg gccttttget ggcttttgc tcacatgttc	2340
tttctgcgt tatccctga ttctgtggat aaccgtatta ccgccttga gtgagctgat	2400

DNA-PK

accgctcgcc gcagccgaac gaccgagcgc agcgagtcag tgagcgagga agcggaagag	2460
cgctgatgc ggtattttct ccttacgcat ctgtgcggta tttcacaccg catatatggt	2520
gcactctcag tacaatctgc tctgatgccg catagttaag ccagtataca ctccgctatc	2580
gctacgtgac tgggtcatgg ctgcgccccg acacccgcc aaccccgctg acgcgcctg	2640
acgggcttgt ctgctcccg catccgctta cagacaagct gtgaccgtct ccgggagctg	2700
catgtgtcag aggtttttcac cgtcatcacc gaaacgcgcg aggcagctgc ggtaaagctc	2760
atcagcgtgg tcgtgaagcg attcacagat gtctgcctgt tcatccgcgt ccagctcgtt	2820
gagtttctcc agaagcgta atgtctggct tctgataaag cgggccatgt taagggcggt	2880
tttttctgt ttggctactg atgcctccgt gtaagggga tttctgttca tgggggtaat	2940
gataccgatg aaacgagaga ggatgctcac gatacgggtt actgatgatg aacatgcccg	3000
gttactgga cgttgtgagg gtaaacaact ggcggtatgg atgcggcggg accagagaaa	3060
aatcactcag ggtcaatgcc agcgcttcgt taatacagat gtaggtgttc cacagggtag	3120
ccagcagcat cctgcgatgc agatccgga cataatggtg cagggcgctg acttccgcgt	3180
ttccagactt tacgaaacac ggaaaccgaa gaccattcat gttgttgctc aggtcgcaga	3240
cgttttgag cagcagtcgc ttcacgttcg ctgcgctatc ggtgattcat tctgctaacc	3300
agtaaggcaa ccccgccagc ctagccgggt cctcaacgac aggagcacga tcatgcgcac	3360
ccgtggggcc gccatgccg cgataatggc ctgcttctcg ccgaaacgtt tgggtggcggg	3420
accagtgcg aaggcttgag cgagggcggt caagattccg aataccgcaa gcgacaggcc	3480
gatcatcgtc gcgctccagc gaaagcggtc ctgcgcgaaa atgaccaga gcgctgccg	3540
cacctgtcct acgagttgca tgataaagaa gacagtcata agtgcggcga cgatagtc	3600
gccccgcgcc caccggaagg agctgactgg gttgaaggct ctcaaggga tcggtcgaga	3660
tcccggtgcc taatgagtga gctaacttac attaatgctg ttgcgctcac tgcccgttt	3720
ccagtcggga aacctgtcgt gccagctgca ttaatgaatc ggccaacgcg cggggagagg	3780
cggtttgct attgggcgcc aggggtggtt ttcttttcac cagtgcgacg ggcaacagct	3840
gattgccctt caccgcctgg ccctgagaga gttgcagcaa gcggtccacg ctggtttgcc	3900
ccagcaggcg aaaatcctgt ttgatgggtg ttaacggcgg gatataacat gagctgtctt	3960
cggtatcgtc gtatcccact accgagatat ccgcaccaac gcgcagcccg gactcggtaa	4020
tggcgcgcgt tgcgcccagc gccatctgat cgttggcaac cagcatcgca gtgggaacga	4080

DNA-PK

tgccctcatt cagcatttgc atggtttggt gaaaacogga catggcactc cagtcgcctt	4140
cccgttccgc tatcggtga atttgattgc gagtgaata tttatgccag ccagccagac	4200
gcagacgcgc cgagacagaa cttaatgggc ccgctaacag cgcgatttgc tggtagacca	4260
atgcgaccag atgctccacg cccagtcgag taccgtcttc atgggagaaa ataatactgt	4320
tgatgggtgt ctggtcagag acatcaagaa ataacgccg aacattagt caggcagctt	4380
ccacagcaat ggcacctcgg tcacccagcg gatagttaat gatcagccca ctgacgcgtt	4440
gcgcgagaag attgtgcacc gccgctttac aggcttcgac gccgcttcgt tctaccatcg	4500
acaccaccac gctggcacc agttgatcgg cgcgagattt aatcgccgcg acaatttgcg	4560
acggcgcggtg cagggccaga ctggaggtgg caacgccaat cagcaacgac tgtttgcccg	4620
ccagttgttg tgccacgcgg ttgggaatgt aattcagctc cgccatcgcc gcttcactt	4680
tttcccgctg tttcgagaa acgtggctgg cctggttcac cacgcgggaa acggtctgat	4740
aagagacacc ggcatactct gcgacatcgt ataacgttac tggtttcaca ttcaccacc	4800
tgaattgact ctcttcggg cgctatcatg ccataccgcg aaaggttttg cgccattcga	4860
tgggtgtcgg gatctcgacg ctctccctta tgcgactcct gcattaggaa gcagcccagt	4920
agtaggttga ggccgttgag caccgccgcc gcaaggaatg gtgcatgcaa ggagatggcg	4980
cccaacagtc ccccgccac ggggcctgcc accataccca cgccgaaaca agcgctcatg	5040
agcccgaaat ggccgagccg atcttcccca tcggtgatgt cggcgatata ggcgccagca	5100
aocgcaoctg tggcgccggt gatgccggcc acgatgcgtc cggcgtagag gatcgagatc	5160
gatctcgatc ccgcgaaatt aatacgactc actatagggg aattgtgagc ggataacaat	5220
tccctctag aagtcgactt taagaaggag taccaagatg cctgaggaaa gtcaggagac	5280
attogaagat ctatggaaac tacttcctgg tcaccaccac catcaccatg gtatgagcgg	5340
cggcatggag gagccagtg accttgagga gctcgagcag tttgccaaga ccttcaaaca	5400
aagacgaatc aaacttgat tcaactcaggg tgatgttggg ctgctatgg ggaaactata	5460
tggaaatgac ttcagccaaa ctaccatctc tcgatttgaa gccttgaacc tcagcttta	5520
gaacatgtgc aagttgaagc cacttttaga gaagtggcta aatgatgcag agaactctc	5580
atctgattcg tccctctcca gcccaagtgc cctgaattct ccaggaattg agggcttgag	5640
caggcgccgt aagaaacgca ccagcataga gaccaacatc cgtgtggcct tagagaagag	5700
tttcttgag aatcaaaagc ctacctcga agagatcact atgattgctg atcagctcaa	5760
tatggaaaaa gaggtgattc gtgtttggtt ctgtaaccgt cgacagaaag aaaaaagaat	5820

a1

DNA-PK

caaccacag ccagaactcg ccccggaaga ccccgaggat taggatccga att .

5873

<210> 63
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> DNA-PK synthetic substrate based on human p53 residues 14-28

<400> 63

Pro Leu Ser Gln Glu Thr Phe Ser Gly Leu Trp Lys Leu Leu Pro Pro
1 5 10 15

Lys Lys

<210> 64
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> DNA-PK synthetic substrate based on human p53 residues 14-28

<400> 64

Pro Leu Ser Gln Glu Ala Phe Ala Gly Leu Trp Lys Leu Leu Pro Pro
1 5 10 15

Lys Lys

*Sub
B1
concluded*